



SURGTECH

M E D I C A L D E V I C E

MALUCTM HIP



SurgTech

ACETABULAR SHELL

Catalog No.	Shell Size (mm)	Rim Diameter (mm)	Inside Diameter (mm)
206x-4438	44	45	38
206x-4638	46	47	38
206x-4842	48	49	42
206x-5042	50	51	42
206x-5246	52	53	46
206x-5446	54	55	46
206x-5646	56	57	46
206x-5852	58	59	52
206x-6052	60	61	52
206x-6252	62	63	52

Acetabular Shell Size		44	46	48	50	52	54	56	58	60	62
Femoral Head Size	2801	*	*	*	*						
	2802	*	*	*	*						
	2803			*	*	*	*	*	*	*	*
	3201			*	*	*	*	*	*	*	*
	3202			*	*	*	*	*	*	*	*
	3203			*	*	*	*	*	*	*	*
	3204					*	*	*	*	*	*
	3601					*	*	*	*	*	*
	3602					*	*	*	*	*	*
	3603					*	*	*	*	*	*
	3604					*	*	*	*	*	*

- Hemispherical in shape with an exterior of Titanium alloy material.
- Cluster hole design for the insertion of acetabular screws.
- Coatings available both in HA and TPS to enhance bony impaction.
- Scallop design to minimize potential for liner rotation.



ACETABULAR LINER

Catalog No.	ID (mm)	Shell Size
2031-2838	28	44/46
2031-2842	28	48/50
2031-3242	32	48/50
2031-3246	32	52/54/56
2031-3252	32	58/60/62
2031-3646	36	52/54/56
2031-3652	36	58/60/62

- Available in both conventional and highly cross linked polyethelene (XLPE not cleared by FDA yet)
- Snap fit feature saves time in OR
- locking groove feature enhances stability and minimizes potential for rotationmetal and ceramic femoral heads.



FEMORAL HEADS

Catalog No.	Head Size (mm)	Neck Length (mm)
2112-2801	28	-3.5
2112-2802	28	0
2112-2803	28	+3.5
2112-3201	32	-4
2112-3202	32	0
2112-3203	32	+4
2112-3204	32	+7
2112-3601	36	-4
2112-3602	36	0
2112-3603	36	+4
2112-3604	36	+7

BIOLOX[®] Delta-Ceramic Heads

- Increased fracture strength.
- Excellent wear properties.
- Unlimited biocompatibility.



CoCr Femoral Heads

- Designed to enhance hip stability and minimize dislocation.
- Larger configuration heads with 12/14 taper to maximize range of motion.
- Multiple offset options to optimize anatomical fit.



MALUC™ STEM

TPS/HA COATED

Catalog No.	Stem Size	Distal Diameter (mm)	Neck Length (mm)	Base Head Offset (mm)	Stem Length (mm)
2145-0125	0S	4	34.5	36	125
2145-0150	0	4	34.5	37.5	150
2145-1150	1	4	34.5	37.5	150
2145-2150	2	4	39.5	37.5	150
2145-3150	3	4	39.5	44	150
2145-4150	4	5	41.5	44	150
2145-5150	5	5	41.5	44	150
2145-6150	6	5	44.5	44	150

- Dual taper design increases rotational stability.
- Reduced neck geometry optimizes range of motion and reduces potential for femoral fracturing.
- Coatings available in both Titanium plasma Spray and Hydroxyapatite to enhance mechanical engagement in bone.
- Compatible with both metal and ceramic femoral heads.



HA Acetabular Cup TPS Acetabular Cup



PE Liner



CoCr Femoral Head BIOLOX® Delta Heads



(440) 899 2922



24600 Center Ridge Rd, Westlake OH